. . 10-03-00

FORM PTO-1082

Express Mail EL 549 326 275 US

PATENT

Atty. Docket No. ULTRA-1001 Date: October 2, 2000

UTILITY PATENT APPLICATION TRANSMITTAL and FEE TRANSMITTAL

BOX PATENT APPLICATION COMMISSIONER FOR PATENTS Washington, D.C. 20231

Transmitted herewith for filing is the patent application of:

Inventor(s): For:

Raymond W. Coles

A METHOD OF FORMING AN IMAGE, AND TO A PRODUCT HAVING AN IMAGE FORMED THEREON

Enclosed are:

X	Specification, Claims, and Abstract (9 pages)
3	Sheet(s) of drawing (formal, _X informal)
	Form PTO-1595 and an assignment of the invention to: Will follow.
_	A certified copy offrom which priority is claimed in the subject case pursuant
	to Rule 55b and 35 U.S.C. 119. Will follow.
	An associate Power of Attorney Will follow.
_	A verified statement to establish small entity status under 37 CFR 1.9 and 37 CFR 1.27.
	Will follow.
Х	Combined Declaration and Power of Attorney Will follow.
•	Information Disclosure Statement, Form PTO-1449, and cited references
	Postcard
	TARGE TOWN

				SMALL EN	TITY		LARGE	ENTITY
FOR:	NO. FILED	In Excess	NO. EXTRA	RATE	FEE		RATE	FEE
BASIC FEE				\$345.00		OR	\$690.00	690.00
TOTAL CLAIMS	20	- 20	= 0	× \$ 9.00		OR	x\$ 18.00	
INDEP CLAIMS	2	- 3	= 0	x \$ 39.00		OR	x\$ 78.00	
L	N OF MULTIPLE I	DEPENDANT CI	LAIM	+ \$130.00		OR	+ 260.00	
				TOTAL		OR	TOTAL	\$ 690.00

Check Number												enclosed.	
 Check Number	in	the	amount	of	\$ 0.00	to	cover	the	Assignm	ent	Rec	ordation	Fee

X The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 02-0410 of Baker & McKenzie.

A duplicate copy of this sheet is enclosed.

Any additional filing fees required under 37 CFR 1.16. <u>X</u>

Any patent application processing fees under 37 CFR 1.17. _X_

The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to Deposit Account No. 02-0410. A duplicate copy of this sheet is enclosed.

Any patent application processing fees under 37 CFR 1.17.

The issue fee set in 37 CFR 1.18 at or before mailing of the Notice of Allowance, pursuant to 37 CFR 1.311(b).

Any filing fees under CFR 1.16 for presentation or extra claims.

Respectfully submitted,

Mitchell P. Registration No. 32,967

BAKER & McKENZIE c/o

101 West Broadway, 12th Floor San Diego, California 92101

(619) 236-1441

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Appli	cation of:) Art Unit: Unknown
Ray	ymond W. COLES)
) Examiner: Unknown
Serial No.:	TBA)
)
Filed:	October 2, 2000)
)
For:	A METHOD OF FORMING AN)
	IMAGE, AND TO A PRODUCT)
	HAVING AN IMAGE FORMED)
	THEREON)

1c927 U.S. PTO 09/678062

San Diego, California 92101 October 2, 2000

BOX PATENT APPLICATION Commissioner For Patents Washington, D.C. 20231

CERTIFICATE OF EXPRESS MAILING

Dear Sir:

"Express Mail" mailing label No. EL 549 326 275 US

Date of Deposit: October 2, 2000

I hereby certify that a Patent Application including the Specification, Abstract, and claims (9 pages), Formal Drawings (FIGS. 1-5 on 3 pages), Utility Patent Application Transmittal and Fee Transmittal (in duplicate), Combined Declaration for Patent Application and Power of Attorney (2 pages), and return postcard are being deposited with the U.S. Postal Service "Express Mail Post Office to the Addressee" service under 37 CFR § 1.10 on the date indicated above and is addressed to Box Utility Application, Commissioner for Patents, Washington, D.C. 20231.

Linda Jonkers-Yocom

Atty. Dkt. No. ULTRA-1001 Express Mail No. EL 549 326 275 US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

A METHOD OF FORMING AN IMAGE, AND TO A PRODUCT HAVING AN IMAGE FORMED THEREON

Inventor: Raymond W. Coles

P101524US/SAB

A METHOD OF FORMING AN IMAGE, AND TO A PRODUCT HAVING AN IMAGE FORMED THEREON

The present invention relates to a method of forming an image, and to a product having an image formed thereon. In particular, this invention provides an enhanced security image.

WO96/30215 describes a method of forming an image on a surface of a card, and in particular the formation of a security card. In general terms, a plastics card is provided on to which an image and other data or markers is printed for example using a dye sublimation or dye diffusion printing process. Once printed, the image on the card is protected by laying down a thin transparent plastic coating. The plastic coating (hereinafter called "overcoat") is deposited by thermal transfer printing. Security images can also be formed in the overcoat by overheating portions of it, thereby changing the optical properties over the overcoat. In general, the overheated portions of the film take on a less glossy (i.e. matt or satin), appearance. Thus additional images confirming the authenticity of the card can be formed in the transparent layer, with the printed portion of the card being visible therethrough. The security images can be easily seen when the card is illuminated by a unidirectional light source, but are less clear when viewed in diffuse light.

According to a first aspect of the present invention, there is provided a method of forming an image, comprising providing a layer of plastics material over a substrate, the substrate having at least one reflective region thereon, and selectively altering the optical properties of portions of the plastics material so as to form an image therein.

It is thus possible to provide an improved security card. The applicant has discovered that the security markings become much more visible, even in diffuse light, when printed over a reflective region.

Advantageously the reflective region comprises a reflective film, such as a metallic film, or a film exhibiting mirror like reflection properties. The metal film may be printed on to the substrate. Thus a metal film may be provided on blank card stock at the time of manufacture of security cards. Alternatively, the reflective film may be printed onto the

card as part of the card printing process. Thus, for example, the metal film may be provided on a carrier film and be brought into contact with the substrate at a printing station in order to transfer the metal film to the substrate.

Preferably the layer of plastics film is provided on a carrier film. The carrier film may be brought into contact with the substrate at a printer having a plurality of heater elements. The heater elements may be energised in order to thermally transfer the plastics material from the carrier film to the substrate.

The heater elements may be energised at a plurality of energy levels in order to vary the thickness of the plastics film transferred. The varying thickness thereby resulting in a variable appearance of the film.

Alternatively, the heater elements may be energised to a first value in order to transfer the entirety of the thickness of the plastics film to the substrate, and selective ones of the heater elements may be energised to a second value in order to overwork or overheat the deposited film, thereby varying its optical properties. Thus the appearance of the overworked areas may be matt or satin, when compared to the other portions of the film.

The security image may be repeatedly printed across the card in a repeat and step like manner. However, advantageously at least one of the images overlies the reflective region.

Advantageously the print instructions for the security image are stored in a memory device. The memory device may, for example, be implemented in the form of a removable memory card, a dongle, a smart card or other equivalent removable memory element. The security image may be held in an encrypted form and local processing may also be provided such that the encrypted image cannot be accessed without a suitable key. The key may, for example, be available to authorise users on a time limited fashion such that once the key expires the security image can no longer be printed. Replacement keys may be obtained via a telecommunications network, for example over the internet, or by distribution of suitably encoded disks or by passwords. Alternatively the printer itself may act as the key to read the data from the memory element.

The printer may have a data processor arranged such that the printer negotiates with the memory element to obtain the security image therefrom. The security image may be in an encrypted form. The encrypted form may differ every time the image is read from the memory device. The data processor in the printer is arranged to decrypt the image.

According to a second aspect of the present invention, there is provided a security product printed in accordance with the first aspect.

Advantageously the security product is one of a bank card, a credit card, and a security card.

It is thus possible to provide a security card comprising a plastics substrate bearing on at least one portion thereof a reflective element, and a plastics layer deposited over the substrate and the reflective element, the optical properties of the plastics layer being altered in at least the region overlying the reflective element in order to form a visible marking therein.

Advantageously the substrate is printed with identification details, such as words, pictures or other indicia. The printing may be performed by dye sublimation printing. Following the printing step, the protective layer is then deposited on the card, with the simultaneous formation of security images in the protective layer. The protective layer may be applied to the card by thermal transfer

The present invention will further be described, by way of example, with reference to the accompanying drawings, in which:

Figure 1 is a cross-section of a thermal array print head as used according to the present invention;

Figure 2 illustrates how the print head of Figure 1 prints an image by depositing pigment on a receiver surface:

Figure 3 is a cross section of a printed receiver surface of Figure 2 with a protective plastics film coating applied to it and incorporating a texture image therein:

Figure 4 is a plan view of a security card constituting an embodiment of the present invention; and

Figure 5 schematically illustrates a printer for printing a card according to the present invention.

As shown in Figures 1 and 2, a thermal print head 1 is in intimate contact with a carrier film 2 on which a pigment 3 on the surface thereof is pressed against a receiver layer 4. The receiver layer acts as a substrate. The carrier film 2 and the receiver layer 4 are moved together relative to the print head 1. In use, heater elements 5 aligned along the print head are selectively energised by electrical pulses to transfer dots or pixels 6 of pigment to the receiver layer 4 in successive lateral rows across the width of the receiver layer.

The receiver layer is provided, at least in part, with one or more reflective areas formed by bonding or otherwise depositing a shiny, and preferably metallic, film to the surface of the receiver layer 4. The reflective region is designated 8 in Figures 3 and 4. The reflective layer 8 may be deposited in a printing step prior to the printing of the pixels of ink, or may be provided as part of the receiver layer, for example during its manufacture.

During a subsequent plastics coating process, which could involve the same print head 1 or a similar print head, a coating of clear plastics material 7 is transferred onto the receiver layer 4, thereby overlaying the pigment layer 6 and the reflective layer 8.

The clear plastics material may be carried on a carrier film which passes beneath the print head with the receiver layer 4 in a similar manner to that described with reference to Figure 2. Again the heater elements of the print head are selectively energised to transfer pixels or dots of the plastics material 7 to the receiver layer 4 in a continuous manner so that the whole of the pigment layer 6 and the reflective element 8 are coated.

The heater elements 5 may be selectively energised so as to transfer varying thicknesses of the plastics layer to the receiver layer 4. However, in a preferred embodiment, the heater elements are energised so as to transfer the whole thickness of the carrier film to the receiver layer 4, with selected areas 10 being heated to a greater amount. The additional heating overworks the clear plastics layer and modifies its shiny upper surface thereby creating regions 10 which are not shiny and which have a matt or satin like appearance. Thus a uniformly thick protective layer bearing an image can be deposited onto to receiver layer and images printed thereon.

The applicant has found that, unexpectedly, those images printed over the reflective element 8 are clearly visible even in diffuse light and this enhances the usefulness and visibility of the security image.

Figure 4 schematically illustrates a security card constituting an embodiment of the present invention. In plan view, various images 12, 14 and 16 are formed in the plastics layer 7. The image 12 overlying the reflective element 8 is clearly visible, whereas the images 14 and 16 not overlying the reflective layer 8 are more faint. The image 16 overlies a printed area 18 with a text or other image formed in the area 18 being visible through the security image 16.

Figure 5 illustrates a printer for printing identity or other secure cards.

The instructions for encoding the security image may be encoded within a removable encryption processor and memory element 20, which may, for example, be a compact flash package removable from or introducable into a suitable reader 22 in a card or other printer 24.

It is thus possible to provide an improved security printing method and an improved security card. In testing, blank cards with the reflective patch 8 preformed thereon were obtained from Bristol Business Cards of Bristol, England.

CLAIMS

- A method of forming an image, comprising providing a layer of plastics material over a
 substrate, the substrate having at least one reflective region thereon, and selectively
 altering the optical properties of portions of the plastics material so as to form an image
 therein.
- A method as claimed in claim 1, wherein the at least one reflective region comprises a
 metal film.
- 3. A method as claimed in claim 2, wherein the metal film is printed onto the substrate.
- 4. A method as claimed in claim 3, in which the metal film is provided on a carrier film and is brought into contact with the substrate at a printing station and transferred to the substrate.
- 5. A method as claimed in claim 1, wherein the layer of plastics material is provided on a carrier film and in which a plurality of heater elements are provided on a thermal print head, and in which the heater elements are energised when the carrier film is in contact with the substrate to transfer the plastics material to the substrate.
- 6. A method as claimed in claim 5, in which the heating elements are energised to deposit a continuous layer of the plastics material over the whole of the area to be covered such that the plastics material serves as a protective coating.
- 7. A method as claimed in claim 6, in which selected regions of the plastics material are heated to a greater degree than other areas so as to vary the surface appearance of the plastics layer.
- 8. A method as claimed in claim 7, in which the full thickness of the plastics film is deposited and selected portions thereof are overheated so as to give these portions a different appearance.

- 9. A method as claimed in claim 8, in which the overheated portions have a satin appearance.
- 10. A method as claimed in claim 8, in which the overheated portions have a matt appearance.
 - 11. A method as claimed in claim 1, in which the image is printed over the substrate in a repeating pattern.
 - 12. A method as claimed in claim 1, in which the layer of plastics material is deposited on the substrate during a printing process, and in which the image to be formed in the plastics film is held in a memory device readable by one of the printer and a data processor controlling the printer.
 - 13. A method as claimed in claim 12, in which the memory device is a removable device.
 - 14 A method as claimed in claim 12, in which the image is held in an encrypted form.
 - 15. A surface printed in accordance with the method of claim 1.
 - 16. A printed item, said item having a substrate bearing on at least a portion thereof a reflective element and a plastics layer deposited over the substrate and the reflective element, the optical properties of the plastics layer altered in at least the region overlying the reflective element.
 - 17. A printed item as claimed in claim 16. in which the plastics layer is deposited as a substantially uniform layer.
 - 18. A printed item as claimed in claim 17, in which portions of the plastics layer are overheated in order to change the appearance of those portions.


- 19. A printed item as claimed in claim 16, in which the item is an identity card.
- 20. A printed item as claimed in claim 16, in which the item is one of a security card, bank card, licence and credit card.


ABSTRACT

A METHOD OF FORMING AN IMAGE, AND TO A PRODUCT HAVING AN IMAGE FORMED THEREON

(FIGURE 3)

A security card is provided in which an ink region 6 bearing image or textural data is printed onto a substrate 4. A reflective portion 8 is also provided on the substrate 4. A plastics protective layer 7 is deposited over the ink 6 and reflective element 8. Portions 10 of the protective layer 7 are overworked in order to change their appearance. Those portions overlying the reflective element 8 exhibit enhanced visibility










FIG.2.







		·		
COMBII (Includes Refs	VED DECLARATION FOR tence to FCT international Applications)	PATENT APPLICATION AND PO	WER OF ATTORNEY	ATTORNEY DOCKET NUMBER ULTRA-1001
As a belo	ow named inventor, I (we) h	ereby declare that		
My resid	ence, post office address and	citizenship are as stated below next	to my name,	
names ar	e listed below) of the subject	sole inventor (if only one name is to matter which is claimed and for which I TO A PRODUCT	ch a patent is sought on the invention	n entitled:
the specif	ication of which (check only on	e item below)		
区	is attached hereto			i
	was filed as United States app	lication		
	Serial No.			
	on			
	and was amended			
The state of the s	an	(if applicable)		
T T	was filed as PCT international			
-				
100 100 100 100 100 100 100 100 100 100	on	Altright		
#	and was amended under PCT.	Article 10		
	on	(if applicable)		
	tate that I have reviewed and under	stand the contents of the above-identified spe	certication, including the claims, as amended	by any amendment referred to
	edge the duty to disclose information	n which is material to the patentability of this a	polication in accordance with Title 37, Code	of Federal Regulations, §1.56.
internation application	nal application(s) designating at le n(s) for patent or inventor's certification	Title 35, United States Code, §119 or §356 or ast one country other than the United State the or any PCT international application(s) desidate before that of the application(s) of which the state of the specific that	es of America, listed below and have als gnating at least one country other than the U	o identified below any foreign
PRIOR FO	DREIGN/PCT APPLICATION(\$) A	ND ANY PRIORITY CLAIMS UNDER 35 L	I.S.C. 119:	
	COUNTRY Of PCT, indicate "PCT")	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 USC 119
				☐ YES ☐ NO

YES

☐ YES

C YES

☐ YES

☐ YES

☐ NO

☐ NO

□ NO

□ NO

□ NO

Combined Declaration For Patent Application and Power of Attorne	y (Continued)
(Includes Perference to PCT International Applications)	

ATTORNEY DOCKET NUMBER ULTRA-1001

I hereby claim the benefit under Title 35, United States Code \$120 of any United States application(s) or PCT international application(s) designating the United States

RIOR U.S. APPLICAT	ions or pct internation	al applications designating the	U.S. FOR BENEFIT	UNDER 35 U.S.C	2 120:
	U.S. APPLICATI	ONS	S	TATUS (Check on	e)
U.S. APPLICATION NUM	1BER	U.S. FILING DATE	PATENTED	PENDING	ABANDONE
	PCT APPLICATIONS DESIGN	NATING THE U.S.			
PCT APPLICATION N		U.S. SENIAL NUMBERS ASSIGNED (if uny)			
					<u> </u>
NTOINETTE F. KONS 1,716; all attorneys with and Correspondence to	SKI, Reg. No. 34.202, JOHN G, F the firm of BAKBR & McKENZIE o:	red therewith: MITCHELL P. BROOK, Ro LAIM, Reg No. 37,323, WILLIAM J. KOLE 2, which has an office address at 101 West Broa	EGRAFF, Reg. No. 4 dway, San Diego, CA	1.125, MOSES M	IARES, Reg. N
tanconen t	. Brook, Esq.			d telephone numb	er)
BAKER &	z McKENZIE Broadway, 12th Floor		(name an		ar)
BAKER & 101 West I San Diego	E McKENZIE Broadway, 12th Floor , CA 92101-3890 FAMILY NAME	FIRST CIVEN NAME	(name an Mitche) (619) 2	d telephone numb ll P. Brook	or)
BAKER & 101 West I San Diego	z McKENZIE Broadway, 12th Floor , CA 92101-3890	FIRST CIVEN NAME RAYMOND	(name an Mitche) (619) 2	<i>d telephone numb</i> II P. Brook 36-1441	er)
BAKER & 101 West I San Diego	E McKENZIE Broadway, 12th Floor , CA 92101-3890 PAMILY NAME COLES	RAYMOND STATE OR FOREIGN COUNTRY	Mitche (619) 2 SECOND 6	<i>d telephone numb</i> II P. Brook 36-1441	ar)
BAKER & 101 West I San Diego Full Name of INVENTOR	E McKENZIE Broadway, 12th Floor , CA 92101-3890 PAMILY NAME COLES CITY WEYMOUTH	RAYMOND	Mitchei (619) 2 SECONDO W.	d ielephone numb II P. Brook 36–1441 GIVEN NAME	
BAKER & 101 West I San Diego FILL NAME OF INVENTOR EFSIDENCE & CITIZENSHIP FOST OFFICE	E McKENZIE Broadway, 12th Floor , CA 92101-3890 PAMILY NAME COLES	RAYMOND STATE OR FOREIGN COUNTRY	(name an Mitche (619) 2 SECOND (W. COUNTR)	d lelephone numb II P. BTOOK 36-1441 GIVEN NAME V OF CITIZENSHIP	м
BAKER & 101 West I San Diego EVAL NAME OF INVENTOR RESIDENCE & CITIZENSHIP POST OFFICE ADDRESS	E McKENZIE Broadway, 12th Floor , CA 92101-3890 PAMILY NAME COLES CITY WEYMOUTH	RAYMOND STATE OR FOREIGN COUNTRY ENGLAND CITY	(name an Mitche (619) 2 SECOND (W. COUNTR)	d relephone number 11 P. Brook 36-1441 GIVEN NAME OF CITIZENSHIP FED KINGDOI ZUP CODE/COUNTRY	м
BAKER & 101 West I San Diego FULL NAME OF INVENTOR FOST OFFICE ADDRESS FULL NAME OF	CMCKENZIE Broadway, 12th Floor , CA 92101-3890 FAMILY NAME COLES CITY WEYMOUTH POST OFFICE ADDRESS	RAYMOND STATE OR FOREIGN COUNTRY ENGLAND CITY	(name an Mitche (619) 2 SECOND (W. COUNTRY UNITSTATE & DT3	d relephone number 11 P. Brook 36-1441 GIVEN NAME OF CITIZENSHIP FED KINGDOI ZUP CODE/COUNTRY	м
BAKER & 101 West I San Diego FULL NAME OF INVENTOR FOST OFFICE ADDRESS FULL NAME OF INVENTOR	E MCKENZIE Broadway, 12th Floor , CA 92101-3890 FAMILY NAME COLES CITY WEYMOUTH POST OFFICE ADDRESS 10 LITTLEMOOR R	RAYMOND STATE OR FOREIGN COUNTRY ENGLAND CITY OAD WEYMOUTH FIRST GIVEN NAME	(name an Mitche (619) 2 SECOND (W. COUNTRY UNIT	d relephone number 11 P. Brook 36-1441 GIVEN NAME OF CITIZENSHIP FED KINGDOI 21P CODE/COUNTRY	м
BAKER & 101 West I San Diego FULL NAME OF INVENTOR FOST OFFICE ADDRESS	E MCKENZIE Broadway, 12th Floor , CA 92101-3890 FAMILY NAME COLES CITY WEYMOUTH POST OFFICE ADDRESS 10 LITTLEMOOR R	RAYMOND STATE OR FOREIGN COUNTRY ENGLAND CITY OAD WEYMOUTH	(name an Mitche (619) 2 SECOND (W. COUNTRY UNIT	d relephone number 11 P. Brook 36-1441 SIVEN NAME OF CITIZENSHIP FED KINGDOI ZIP CODE/COUNTE: 6AA	м
BAKER & 101 West I San Diego FULL NAME OF INVENTOR FOST OFFICE ADDRESS FULL NAME OF INVENTOR	E MCKENZIE Broadway, 12th Floor , CA 92101-3890 FAMILY NAME COLES CITY WEYMOUTH POST OFFICE ADDRESS 10 LITTLEMOOR R	RAYMOND STATE OR FOREIGN COUNTRY ENGLAND CITY OAD WEYMOUTH FIRST GIVEN NAME	(name an Mitche (619) 2 SECOND (W. COUNTRY UNITS STATE &: DT3 SECOND (COUNTRY)	d relephone number 11 P. Brook 36-1441 GIVEN NAME OF CITIZENSHIP FED KINGDOI 21P CODE/COUNTRY	M Y